

Classic

1



Classic 694



Classic 163



Classic 216



Car HiFi

Magnat®

Classic

2



Besonderheiten der *Classic* Serie

- Resonanzarmer, vernickelter Stahlkorb
- Magnetschutz
- Hochflexible und langlebige Gummisicke
- Strukturbeschichtete Polypropylenmembran
- Inklusive Verkabelung und Schutzgitter
- Universelle Einbaumöglichkeiten
- Hochwertiger 25 mm Neodymhochtöner
- Externe Frequenzweiche mit Pegelanpassung für den HT

Highlights of the *Classic* series

- low resonance, nickel plated steel basket
- magnet protection cover
- external crossover with level adjustment for the tweeter
- high flexible and long life rubber surround
- structure coated polypropylene membrane
- high quality 25 mm neodymium tweeter
- wiring and protection grille included
- speaker unit types for universal mounting possibilities

Car HiFi

Magnat[®]

Classic 216

3

Art.-Nr: 111 826
EAN: 40 18843 11826 0

Technische Daten

- Prinzip / DIN Ø
- Belastbarkeit RMS / max.
- Impedanz
- Frequenzbereich
- Übergangsfrequenz
- Schalldruck
- DIN Durchmesser
- Außendurchmesser
- Lochausschnitt
- Einbautiefe
- Membranmaterial
- Korbmaterial

2 Wege Kompo System
75/ 150 Watt
4 Ohm
36 - 25.000 Hz
3.800 Hz
91 dB
Tieftöner: 165 mm Hochtöner: 25 mm
Tieftöner: 178 mm Hochtöner: 52 mm
Tieftöner: 139 mm Hochtöner: 44 mm
Tieftöner: 64 mm Hochtöner: 18 mm
beschichtetes Polypropylen (Bass), Gewebekalotte (Hochtöner)
Vernickelter Stahl

specifications

- principle / DIN Ø
- power handling RMS / max.
- impedance
- frequency response
- crossover frequency
- sound pressure level
- DIN diameter
- outer diameter
- cutting out
- mounting depth
- membrane material
- basket material

2 way compo system
75/ 150 watts
4 ohms
36 - 25,000 Hz
3,800 Hz
91 dB
woofer: 6.5" tweeter: 1"
woofer: 178 mm tweeter: 52 mm
woofer: 139 mm tweeter: 44 mm
woofer: 64 mm tweeter: 18 mm
structure coated polypropylene (woofer), cloth dome (tweeter)
nickel plated steel

Car HiFi

Magnat®

Classic 163

4

Art.-Nr: 111 816
EAN: 40 18843 11816 1

Technische Daten

- Prinzip / DIN Ø 3 Wege Triaxial System
- Belastbarkeit RMS / max. 55 / 110 Watt
- Impedanz 4 Ohm
- Frequenzbereich 42 - 23.000 Hz
- Übergangsfrequenz 4.000 / 12.000 Hz
- Schalldruck 90 dB
- DIN Durchmesser 165 mm
- Außendurchmesser 178 mm
- Lochausschnitt 139 mm
- Einbautiefe 64 mm
- Membranmaterial Strukturbeschichtetes Propylen (Bass)
Mylarfolie (Mitteltöner)
Metal beschichtete PC (Hochtöner)
- Korbmaterial Vernickelter Stahl

specifications

- principle / DIN Ø 3 way triaxial system
- power handling RMS / max. 55 / 110 watts
- impedance 4 ohms
- frequency response 42 - 23,000 Hz
- crossover frequency 4,000 / 12,000 Hz
- sound pressure level 90 dB
- DIN diameter 6.5"
- outer diameter 178 mm
- cutting out 139 mm
- mounting depth 64 mm
- membrane material structure coated polypropylene (woofer),
mylar cone (midrange)
metal coated PC dome (tweeter)
- basket material nickel plated steel

Car HiFi

Magnat®

Classic 694

4

Art.-Nr: 111 869
EAN: 40 18843 11869 7

Technische Daten

- Prinzip / DIN Ø 4 Wege Quadrax System
- Belastbarkeit RMS / max. 80/ 160 Watt
- Impedanz 4 Ohm
- Frequenzbereich 32 - 23.000 Hz
- Übergangsfrequenz 2.000/6.000/12.000 Hz
- Schalldruck 91 dB
- DIN Durchmesser 6" x 9"
- Außendurchmesser 259 x 176 mm
- Lochausschnitt 221 x 152 mm
- Einbautiefe 86 mm
- Membranmaterial Strukturbeschichtetes Propylen (Bass)
Mylarfolie (Mitteltöner)
Gewebekalotte (Hochtöner)
Piezo (Superhochtöner)
- Korbmaterial Vernickelter Stahl

specifications

- principle / DIN Ø 4 way quadrax system
- power handling RMS / max. 80/ 160 watts
- impedance 4 ohms
- frequency response 32 - 23,000 Hz
- crossover frequency 2,000/6,000/12,000 Hz
- sound pressure level 91 dB
- DIN diameter 6" x 9"
- outer diameter 259 x 176 mm
- cutting out 221 x 152 mm
- mounting depth 86 mm
- membrane material structure coated polypropylene (woofer),
mylar cone (midrange)
metal coated PC dome (tweeter)
piezo (super tweeter)
- basket material nickel plated steel

Car HiFi

Magnat®